



**MWD**

*METROPOLITAN WATER DISTRICT OF SOUTHERN CALIFORNIA*

November 5, 1992

*To:* Board of Directors

*From:* General Manager

*Subject:* Revised Page 7 for Operating Data Report dated October 22, 1992

Attached is a revised copy of Page 7 for replacement  
in the above-referenced report.

  
Carl Boronkay

PCA:atr  
(brd:revoprpt-11052)

Board of Directors

-7-

September 22, 1992

SEPTEMBER RAINFALL AT LOS ANGELES CIVIC CENTER (INCHES)

During the month	0.00
Total for Season (Fiscal Year)	0.08
Normal for Season to Date	0.27
Difference from Normal	-0.19
Percent of Normal	30


SEPTEMBER TEMPERATURES AT LOS ANGELES CIVIC CENTER (DEGREES F)

Average Maximum	87.4
Average Minimum	65.7
Average	76.55
30-Year Normal	73.4

EMPLOYMENTRegular Employees by Division/Department

	<u>Sept. 1991</u>	<u>Sept. 1992</u>	<u>Difference</u>
Engineering	328	362	+34
Operations	945	956	+11
Other Divisions and Departments	<u>629</u>	<u>704</u>	<u>+75</u>
<u>Total Regular Employees</u>	1,902	2,022	+120
<u>Full-Time Equivalent (FTE)--</u>			
<u>Temporary Employees*</u>	49	50	+ 1
<u>Total Headquarters Employees</u>			
Sunset Boulevard--Los Angeles	598	612	+14
Cal Plaza--Los Angeles	n/a	4	n/a
Arroyo Parkway--Pasadena	159	172	+13
Lake Street--Pasadena	36	38	+2
<u>Minority Applicants</u>	636	324	-312
<u>Minority New Hires</u>	18	1	- 17
<u>Non-Minority Applicants</u>	491	387	-104
<u>Non-Minority New Hires</u>	33	3	- 30

\* Full-Time Equivalent Positions (approximate)--based on hours worked by temporary employees.

  
for Carl Boronkay

PCA:rdl/atr  
(brd:opsep-11052)  
Attachments