

The motion passed by a vote of 13 ayes, 0 no, 0 abstain, 3 absent.

5. BOARD INFORMATION ITEMS

None

6. COMMITTEE ITEMS

- a. Subject: Update on Lake Oroville Spillway
- Presented by: Water System Operations Interim Assistant Group Manager Brent Yamasaki
- Mr. Yamasaki provided an update on the Lake Oroville Spillway.

- b. Subject: Security update.
 [Conference with Metropolitan Interim Security Manager Tomer Benito or designated agent on threats to public service or facilities; to be heard in closed session pursuant to Gov. Code Section 54957(a)]
- Presented by: Water System Operations Interim Team Manager Tomer Benito
- In closed session, Mr. Benito provided an update on security.

7. MANAGEMENT REPORTS

- a. Subject: Water System Operations Manager's report
- Presented by: Water System Operations Group Manager Jim Green
- Mr. Green provided updates on current operational conditions including water blends and storage, the Weymouth Oxidation Retrofit project, chemical supply chain issues caused by Hurricane Harvey, and annual shutdown planning.
- b. Subject: Engineering Services Manager's report
- Presented by: Engineering Services Group Manager Gordon Johnson
- Mr. Johnson provided an update on several construction projects including the Jensen solar power plant and lagoon refurbishment, the Diemer administration building seismic upgrades, the Diamond Valley Lake East Dam electrical upgrades and restroom, and the Colorado River Aqueduct sand trap rehabilitation.

8. FOLLOW-UP ITEMS

None

9. FUTURE AGENDA ITEMS

None

Next meeting will be held on October 9, 2017.

Meeting adjourned at 1:35 p.m.

Glen Peterson
Chair